

**RESOLUTION OF THE
BOARD OF DIRECTORS OF THE
SOUTHWEST WHITE COUNTY WATER ASSOCIATION
PUBLIC WATER AUTHORITY OF THE STATE OF ARKANSAS
(the "Authority")**

The following resolution was adopted at a duly convened meeting of the Authority that occurred on February 14th, 2025.

Whereas the Arkansas Department of Health has implemented certain changes to the State Plumbing Code and requires that water utilities located within the state assist in administering said requirements; and

Whereas, the Authority is required to abide by the terms and conditions of the State Plumbing Code but is also authorized and entitled to adopt supplemental rules and regulations;

Now, Therefore, be it resolved by the Authority as follows:

1. The Authority is directed to abide by all rules and regulations set forth within the State Plumbing Code, as such may be modified and amended from time to time.
2. The Authority is additionally directed to oversee, regulate and abide by the following additional provisions that shall be deemed supplemental to the State Plumbing Code:
 - a. All temperature and pressure relief valves appended to hot water heaters must either drain to the outside of the structure in which they are located or into an independent drainage system routing water to the outside of the structure in which they are located.
 - b. All tankless hot water heaters must have overflow pans constructed and located beneath set equipment.
 - c. All plumbers installing new or renovating plumbing facilities at homes or businesses must place signage at the street entrance located immediately adjacent to a public highway providing for the plumber's name, phone number and information.
 - d. All water service lines located within or to be located within a home or structure must be inserted within the sleeves embedded within the slab foundation of such structures.
 - e. No additional utilities (such as sewer lines, electricity lines, Internet or cable lines, etc.) shall be installed or maintained in the trench and easement in which water lines are located.

